



colour option



CLIP ON



	Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
LR2520A	20mm	8mm	No	29mabr	1.0kg/hr(B)
LR2520B	20mm	10mm	No	29mbar	1.0kg/hr(B)
LR2520AR	20mm	8mm	Yes	29mbar	1.0kg/hr(B)
LR2520BR	20mm	10mm	Yes	29mbar	1.0kg/hr(B)

LR2521A	21mm	8mm	No	29mabr	1.0kg/hr(B)
LR2521B	21mm	10mm	No	29mbar	1.0kg/hr(B)
LR2521AR	21mm	8mm	Yes	29mbar	1.0kg/hr(B)
LR2521BR	21mm	10mm	Yes	29mbar	1.0kg/hr(B)

LR2522A	22mm	8mm	No	29mabr	1.0kg/hr(B)
LR2522B	22mm	10mm	No	29mbar	1.0kg/hr(B)
LR2522AR	22mm	8mm	Yes	29mbar	1.0kg/hr(B)
LR2522BR	22mm	10mm	Yes	29mbar	1.0kg/hr(B)



CE

colour option



	Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
--	-------------------	--------------------	--------------------	--------------------------	-----------------

LRC2521A	21mm	8mm	No	29mbar	1.0kg/hr(B)
-----------------	------	-----	----	--------	-------------

LRC2521AR	21mm	8mm	Yes	29mbar	1.0kg/hr(B)
------------------	------	-----	-----	--------	-------------

CLIP ON



CE S

colour option



	Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
--	-------------------	--------------------	--------------------	--------------------------	-----------------

LRS2527A	27mm	8mm	No	37mbar	1.5kg/hr(P)
-----------------	------	-----	----	--------	-------------

LRS2527B	27mm	10mm	No	37mbar	1.5kg/hr(P)
-----------------	------	------	----	--------	-------------

LRS2527AR	27mm	8mm	Yes	37mbar	1.5kg/hr(P)
------------------	------	-----	-----	--------	-------------

LRS2527BR	27mm	10mm	Yes	37mbar	1.5kg/hr(P)
------------------	------	------	-----	--------	-------------

SNAP-TIGHT



CE

colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LRC2527	27mm	8mm	No	37mbar	1.5kg/hr(P)
----------------	------	-----	----	--------	-------------

LRC2527	27mm	8mm	No	29mbar	1.3kg/hr(LPG)
----------------	------	-----	----	--------	---------------

SNAP-TIGHT



CE



colour option



Inlet Size	Outlet Size	Flow Excess	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2518A	STD	8mm	No	30mbar	1.0kg/hr(LPG)
----------------	-----	-----	----	--------	---------------

LR2518B	STD	10mm	No	30mbar	1.0kg/hr(LPG)
----------------	-----	------	----	--------	---------------

LR2518AR	STD	8mm	Yes	30mbar	1.0kg/hr(LPG)
-----------------	-----	-----	-----	--------	---------------

LR2518BR	STD	10mm	Yes	30mbar	1.0kg/hr(LPG)
-----------------	-----	------	-----	--------	---------------

BAYONET







colour option



	Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
LR11B	0.880-14NGO -LH-EXT (CGA V-1 No.510)	10mm	No	30mbar	1.3kg/hr (LPG)
LR11BR	0.880-14NGO -LH-EXT (CGA V-1 No.510)	10mm	Yes	30mbar	1.3kg/hr (LPG)
LR11HR	0.880-14NGO -LH-EXT (CGA V-1 No.510)	10mm	Yes	30mbar	1.3kg/hr (LPG)

SCREW-ON




colour option



	Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
LR21HR	0.880-14NGO -LH-EXT (CGA V-1 No.510)	10mm	Yes	30mbar	1.0kg/hr (LPG)

SCREW-ON



CE

colour option



	Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
LR2101	W20*1/14" -LH	8mm	No	30mbar	1.0kg/hr (Butane)

SCREW-ON



CE

colour option



	Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
LR2102-30	W21.7x1.814 LH-60°	G1/4 ISO 228-LH	No	29mbar	1.0kg/hr(B)
LR2102-50	W21.7x1.814 LH-60°	G1/4 ISO 228-LH	No	50mbar	0.8kg/hr(LPG)
LR2112-30	W21.8x1.814 LH-55°	G1/4 ISO 228-LH	No	29mbar	0.8kg/hr(LPG)
LR2112-50	W21.8x1.814 LH-55°	G1/4 ISO 228-LH	No	50mbar	0.8kg/hr(LPG)

SCREW-ON



CE



colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2105	W21.8x1.814 LH	G1/4 ISO 228-LH	No	29mbar 0.8kg/hr(LPG)
---------------	-------------------	--------------------	----	----------------------

SCREW-ON



CE


colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2106	W21.7x1.814 LH-60°	8mm	No	29mbar 1.0kg/hr(B)
---------------	-----------------------	-----	----	--------------------

SCREW-ON



CE

colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2107P	G5/8 LH-POL	8mm	No	37mbar	1.5kg/hr(P)
----------------	----------------	-----	----	--------	-------------

SCREW-ON



CE

colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2107H	G5/8 LH-POL	8mm	No	37mbar	1.5kg/hr(P)
----------------	----------------	-----	----	--------	-------------

SCREW-ON



CE

colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2108A	W21.8x1.814 LH	8mm	No	29mbar	1.0kg/hr(B)
----------------	-------------------	-----	----	--------	-------------

SCREW-ON



CE


colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2109	0.88 NGO LH-US POL	8mm	No	29mbar	0.8kg/hr(LPG)
---------------	-----------------------	-----	----	--------	---------------

SCREW-ON



CE

colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2503A	M16x1.5 RH	8mm	No	29mbar	1kg/hr(B)
----------------	------------	-----	----	--------	-----------

CAMPING



CE

colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2519	M14x1.5 RH	8mm	No	29mbar	0.6kg/hr(LPG)
---------------	------------	-----	----	--------	---------------

CAMPING





colour option




Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2610B	16mm	10mm	No	30mbar	1.5kg/hr(LPG)
----------------	------	------	----	--------	---------------

LR2610BR	16mm	10mm	Yes	30mbar	1.5kg/hr(LPG)
-----------------	------	------	-----	--------	---------------

SNAP-ON/JUMBO



SNAP-ON/JUMBO



colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR2620B	16mm	10mm	No	3.0kpa	1.5kg/hr(LPG)
----------------	------	------	----	--------	---------------

LR2620BR	16mm	10mm	Yes	3.0kpa	1.5kg/hr(LPG)
-----------------	------	------	-----	--------	---------------



CE

colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR29A	35mm	8mm	No	29mbar	2.0kg/hr(B)
LR29B	35mm	10mm	No	29mbar	2.0kg/hr(B)
LR29AR	35mm	8mm	Yes	29mbar	2.0kg/hr(B)
LR29BR	35mm	10mm	Yes	29mbar	2.0kg/hr(B)

LR29A	35mm	8mm	No	29mbar	2.0kg/hr(LPG)
LR29B	35mm	10mm	No	29mbar	2.0kg/hr(LPG)
LR29AR	35mm	8mm	Yes	29mbar	2.0kg/hr(LPG)
LR29BR	35mm	10mm	Yes	29mbar	2.0kg/hr(LPG)

JUMBO





colour option



	Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
--	-------------------	--------------------	--------------------	--------------------------	-----------------

LR29CHT	35mm	G3/8-LH	Yes	29mbar	1.5kg/hr
LR29CHB	35mm	10mm	Yes	29mbar	1.5kg/hr
LR29A	35mm	10mm	Yes	29mbar	2.0kg/hr

JUMBO



TYPE 1



colour option



	Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
--	-------------------	--------------------	--------------------	--------------------------	-----------------

LR15	1.312-5ACME 2G-RH	8mm	Yes	11"WC	1.5kg/hr
-------------	----------------------	-----	-----	-------	----------



CE

colour option




Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR40	G5/8 LH-POL	G3/8 ISO 228-1	No	29mbar	4kg/hr(LPG)
-------------	----------------	-------------------	----	--------	-------------

LR40	G5/8 LH-POL	G3/8 ISO 228-1	No	37mbar	4kg/hr(P)
-------------	----------------	-------------------	----	--------	-----------

BAYONET



CE


colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

LR41	M20x1.5	M20x1.5	No	29mbar	1.5kg/hr(LPG)
-------------	---------	---------	----	--------	---------------

CARAVAN






colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

R660	1.312-5ACME 2G-RH	1/4-18NPT	No	30PSI	2kg/hr(LPG)
-------------	----------------------	-----------	----	-------	-------------

HIGH PRESSURE



colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

HR5010	0.88-14NGO LH	0.88-14NGO LH	No	30PSI	5kg/hr
---------------	------------------	------------------	----	-------	--------

HR5020	0.88-14NGO LH	0.88-14NGO LH	No	60PSI	5kg/hr
---------------	------------------	------------------	----	-------	--------

HIGH PRESSURE







colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity
------------	-------------	-------------	-------------------	----------

ACR6(UK)	2-M20x1.5	1/2 BSPF	Yes	37mbar	4kg/hr(P)
ACR6(AU,NZ)	2-1/4-18 NPT	1/2-14NPT	No	28mbar	6kg/hr(LPG)
ACR6(USA)	2-1/4-18 NPT	3/8-18NPT	No	11"WC	4kg/hr(P)
ACR2(USA)	2-1/4-18 NPT	3/8-18NPT	No	11"WC	2kg/hr(P)

AUTO CHANGEOVER





colour option



Inlet Size	Outlet Size	Excess Flow	Delivery Pressure	Capacity	OPSO
------------	-------------	-------------	-------------------	----------	------

ACR7	2-M20x1.5	1/2 BSPF	Yes	37mbar	4kg/hr(P)	Yes
-------------	-----------	----------	-----	--------	-----------	-----

AUTO CHANGE OVER



CE UL T

COMPACT

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V2420R-1	20mm	3/4-14NGT(CGA)	No	Yes	26bar
-----------------	------	----------------	----	-----	-------

V2420R-2	20mm	W28.8DIN477	No	Yes	21bar
-----------------	------	-------------	----	-----	-------

V2420RS-1	20mm	3/4-14NGT(CGA)	No	Yes	26bar
------------------	------	----------------	----	-----	-------

V2420RS-2	20mm	W28.8DIN477	No	Yes	26bar
------------------	------	-------------	----	-----	-------



CE UL T

COMPACT

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V2421	21mm	3/4-14NGT(CGA)	No	No	No
--------------	------	----------------	----	----	----

V2421R-1	21mm	3/4-14NGT(CGA)	No	Yes	26bar
-----------------	------	----------------	----	-----	-------

V2421R-2	21mm	W28.8DIN477	No	Yes	26bar
-----------------	------	-------------	----	-----	-------

V2421RS-1	21mm	3/4-14NGT(CGA)	No	Yes	26bar
------------------	------	----------------	----	-----	-------

V2421RS-2	21mm	W28.8DIN477	No	Yes	21bar
------------------	------	-------------	----	-----	-------

V2421RS(W28.8)	21mm	W28.8(25E(EN629-1))	No	Yes	26bar
-----------------------	------	---------------------	----	-----	-------

V2421RS(17T)	21mm	17T(0.694-14(COP 15))	No	Yes	21bar
---------------------	------	-----------------------	----	-----	-------

V2421RS(18T)	21mm	18T(0.715-14(COP 15))	No	Yes	21bar
---------------------	------	-----------------------	----	-----	-------



CE T1

SNAP-TIGHT



	Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
V2427R	27mm	3/4-14NGT (CGA V-1SEC.E)	No	Yes	26bar
V2427	27mm	3/4-14NGT (CGA V-1SEC.E)	No	No	No
V2427(19.3)-1	27mm	19.3mm	Yes	No	No



JUMBO

CE 

	Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
V35R-1	35mm	3/4-14NGT(CGA)	No	Yes	26bar
V35R-2	35mm	W28.8 DIN477	No	Yes	26bar
V35	35mm	W28.8 DIN477	No	Yes	26bar




CE

BAYONET

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

VB01RS	STD 3/4Bayonet	3/4-14 NGT(CGA)	No	Yes	26bar
---------------	-------------------	--------------------	----	-----	-------




CE

BAYONET



Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

VB02	STD 3/4	3/4-14NGT(CGA)	No	No	No
-------------	---------	----------------	----	----	----


VB02P	STD 3/4	3/4-14NGT(CGA)	Yes	No	No
--------------	---------	----------------	-----	----	----



	Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
V5C-1	G3/8 LH EXT	0.715-14 (AS2473-1996)	No	Yes	26bar
V5C-2	G3/8 LH EXT	0.715-14 (AS2473-1996)	No	Yes	26bar




	Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
VCP2	G3/8 -19 RH	1/2-14NGT	No	No	No



CAMPING

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------


VCP3-1	G3/8-19 RH	1/2-14NGT	No	Yes	25.8bar
---------------	------------	-----------	----	-----	---------



CAMPING

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

VCP3-2	G3/8-19 RH	1/2-14NGT	No	Yes	25.8bar
---------------	------------	-----------	----	-----	---------





CE T1

EURO VALVE

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V50F-1	0.885-14NGO -LH(CGA510)	3/4-14 NGT(CGA)	No	Yes	26bar
---------------	----------------------------	--------------------	----	-----	-------

V50F-2	0.885-14NGO -LH(CGA510)	W28.8 DIN477	No	Yes	26bar
---------------	----------------------------	-----------------	----	-----	-------





CE T1

EURO VALVE

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V50S	0.885 -14NGO-LH	3/4-14NGT	No	Yes	26bar
-------------	--------------------	-----------	----	-----	-------




CE T1

EURO VALVE

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V50-1	G5/8-LH	18T (0.715-14)	No	Yes	21bar
--------------	---------	-------------------	----	-----	-------

V50-2/18T	G5/8-LH	18T	No	Yes	21bar
------------------	---------	-----	----	-----	-------



CE T1

EURO VALVE


Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V51(W28.8)	21.7×1.814-LH (EN12864 G.2)	W28.8 DIN477	No	No	No
-------------------	--------------------------------	-----------------	----	----	----

V51(19.3)	21.7×1.814-LH (EN12864 G.2)	19.3mm	No	No	No
------------------	--------------------------------	--------	----	----	----

V51(19.3)P	21.7×1.814-LH (EN12864 G.2)	19.3mm	Yes	No	No
-------------------	--------------------------------	--------	-----	----	----

V51(23.2)B	21.7×1.814-LH (EN12864 G.2)	M23.2mm	Yes	No	No
-------------------	--------------------------------	---------	-----	----	----




CE T1

EURO VALVE

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V52-1	W21.8×1.814LH	18T	No	Yes	21bar
--------------	---------------	-----	----	-----	-------



CE T1

EURO VALVE


Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V100	0.885-14NGO -LH(CGA 510)	3/4-14NGT (CGA)	No	Yes	26bar
-------------	-----------------------------	--------------------	----	-----	-------

V100(SA)	G5/8-LH	3/4-14NGT (CGA)	No	Yes	26bar
-----------------	---------	--------------------	----	-----	-------

V100(28.8)UK	G5/8-LH (EN12864.G7)	W28.8 DIN477	No	Yes	No
---------------------	-------------------------	--------------	----	-----	----

V100(W28.8)	0.885-14 NGO-LH(CGA)	W28.8 DIN477	No	No	No
--------------------	-------------------------	--------------	----	----	----






POL

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V120PV	0.885-14NGO -LH(CGA 510)	3/4-14 NGT(CGA)	No	Yes	26bar
---------------	-----------------------------	--------------------	----	-----	-------




POL

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V120-1	0.885-14NGO -LH(CGA 510)	3/4-14 NGT(CGA)	No	Yes	26bar
---------------	-----------------------------	--------------------	----	-----	-------

V120-2	0.885-14NGO -LH(CGA 510)	W28.8 DIN477	No	Yes	26bar
---------------	-----------------------------	--------------	----	-----	-------







POL

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V2S-1A	V2-14 3/26 W22.5TP114 (CNS1324 B7030)	No	Yes	20-24bar
---------------	--	----	-----	----------

V2S-PA	V2-14 3/26 W22.5TP114 (CNS1324 B7030)	No	Yes	20-24bar
---------------	--	----	-----	----------




POL

CE

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V58	0.885-14NGO 3/4-14NGT-12H -LH(CGA 510) -EXT(CGA)	No	Yes	26bar
------------	---	----	-----	-------



**OPD**

Outlet	Stem Thread	Relief Valve	R. V. Pressure
--------	-------------	--------------	----------------

V66 OPD (DT4.0)1.312-5ACMEG-2G-RH-
EXT 0885-14NGO-LH
(CGA V-1 NO.510)

3/4-14NGT

Yes

26bar

V66 OPD (DT4.7)1.312-5ACMEG-2G-RH-
EXT 0885-14NGO-LH
(CGA V-1 NO.510)

3/4-14NGT

Yes

26bar

**SNAP-ON**

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

V26-1

16mm

3/4-14 NGT

No

Yes

26bar

V26-2

16mm

W28.8 DIN477

No

Yes

21bar

V26-3

16mm

M23.2×2

No

Yes

26bar





CONNECTOR

	Inlet Size	Outlet Size	Excess Flow
GT02	1.312-5ACME -2G-RH	0.885-14UNS -LH-INT (CGA V-1 No.791)	Yes
GT02	G3/8	G5/8-LH	Yes



CONNECTOR

	Inlet Size	Outlet Size	Excess Flow
GT03	1-20UNEF-2B	0.885-14UNS -LH-INT (CGA V-1 No.791)	No



CE

**Inlet
Size**

**Outlet
Size**

**Excess
Flow**

Ball valve

1/2"BSPT

G1/2"

No

BALL VALVE



CE T1

SNAP-TIGHT

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

VL01/12	1 1/4"X5 ACME 2G ANSI/ASME/B 1.5	W28.8	No	Yes	26bar
----------------	--	-------	----	-----	-------

VL01/18	1 1/4"X5 ACME 2G ANSI/ASME/B 1.5	W28.8	No	Yes	26bar
----------------	--	-------	----	-----	-------



JUMBO

CE T1

Outlet	Stem Thread	Flow Limiter	Relief Valve	R. V. Pressure
--------	-------------	--------------	--------------	----------------

VL01/46	1 1/4"X5 ACME 2G ANSI/ASME/B 1.5	W28.8	No	Yes	26bar
----------------	--	-------	----	-----	-------





CONNECTOR

**Inlet
Size**

**Outlet
Size**

**Excess
Flow**

CVC2

1.312-5ACME
-2G-RH

1/4-18NPT

Yes



CONNECTOR

**Inlet
Size**

**Outlet
Size**

**Excess
Flow**

CVC3

1.312-5ACME
-2G-RH

1/4-18NPT

Yes



CE

HOSE

Inlet Size	Outlet Size	Excess Flow	Work Pressure
------------	-------------	-------------	---------------

5' hose	5/8-18UNF	1/4-18NPT	No	≤350PSI
----------------	-----------	-----------	----	---------



CE

HOSE

Inlet Size	Outlet Size	Excess Flow	Work Pressure
------------	-------------	-------------	---------------

6' hose	5/8-18UNF	1/4-18NPT	No	≤350PSI
----------------	-----------	-----------	----	---------



CE

HOSE

Inlet Size	Outlet Size	Excess Flow	Work Pressure
------------	-------------	-------------	---------------

10' hose	5/8-18UNF	1/4-18NPT	No	≤350PSI
----------	-----------	-----------	----	---------



CE UL

HOSE

Inlet Size	Outlet Size	Excess Flow	Work Pressure
------------	-------------	-------------	---------------

Pigtail	1.312-5ACME -2G-RH	7/16-24UNS -2A-RH	Yes	≤350PSI
---------	-----------------------	----------------------	-----	---------



NECK RING

Cylinder Applicable	Outlet	Weight	Size
3KG	0.715-14	120g	ø36mm
3KG	M22X1.25	37g	ø33mm
9/14KG	3/4-14NPT Taper 1/16 +1Turn	79g	41.3*15.5mm
3/5/7KG 4/6KG	1/2-14NGT +1 Turn	85g	35*20mm
2/4KG	0.75-14 AS2473-1996	78g	38*17mm
11KG	3/4-14NGT	175g	42*22mm
4/10/16/20/50KG	V2	202g	50*25.2mm

More neck rings could be customized as per different demands.

